

Community-Based Early Warning System

Training Manual

A training manual developed by Philippine Red Cross as part of the project "Enhancing capacities of National Red Cross Societies in Indonesia, Philippines, and Vietnam in early warning information interpretation, translation, and application for preparedness" supported by American Red Cross, and with technical assistance from the Asian Disaster Preparedness Center and the Regional Integrated Multi-Hazard Early Warning System









American Red Cross

Philippine Red Cross

Multi-hazard Early Warning System Asian Disaster Preparedness Center

The completion of this Manual was made possible through the hard work, dedication and commitment of the Disaster Management Services, Philippine Red Cross. With the leadership of Ms. Catherine Marie Martin, Disaster Management Services Director, and the support of Philippine Red Cross Headquarters Staff, and Philippine Red Cross Negros Occidental and Pangasinan Chapters, this Manual was pilot tested, refined, and finalized.

Cover Photo: Officials of Barangay Bonuan Boquig, Dagupan City, Pangasinan, Philippines participate in identifying hazard-prone areas, evacuation areas and safe evacuation routes, within the barangay, as part of capacity building activities under the project, "Enhancing capacities of National Red Cross Societies in Indonesia, Philippines and Vietnam in early warning information interpretation, translation and application for preparedness".

Community-Based Early Warning System





MESSAGE

The Philippines was ranked as one of the most disaster-prone countries of the world by the *Center for Research on the Epidemiology of Disasters* and this is not only because of its geographic attributes but largely to the fact that majority of the population resides in hazardous areas. While hazards turning into disasters cannot be prevented, its effects can be mitigated. One way of ensuring such is having an early warning system in place that is not only well understood, but most importantly, generates required action from the communities that receive it.

The PRC approach to disaster risk management is two-pronged – disaster preparedness and mitigation, and disaster response. The Red Cross has engaged communities in preparedness activities primarily because it believes that people in the community have a very important role to play in mitigating the effects of hazards.

The strongest asset of the PRC is its volunteers in the community. Through the Red Cross 143 Volunteer Program, the organization intends to have an army of volunteers on the ground ready to prepare, respond and mitigate the impacts of hazards.

The challenge of Early Warning System is to bridge the last mile and PRC, with strong volunteer presence on the ground, can be the catalyst to ensure that the gap is bridged. To ensure that it works, the PRC has developed the Community-Based Early Warning

System Training Manual which aims to help the community better understand the hazards that they face and the actions that should be undertaken to mitigate the effects of such hazards.

May this Community-Based Early Warning System Training Manual be a way of strengthening the capacity of people in communities to prevent unnecessary suffering brought by disasters.

Thank you.

GWENDOLYN T. PANG

Guendoly facy of

Secretary General

TABLE OF CONTENTS

Trainer's Guide	 1
Pre-Training Climate Setting	 3
Course Overview	 5
Module 1: Disaster Concepts	 7
Module 2: The Philippine Hazardscape	 13
Module 3: Early Warning System Definition, Concepts and Elements	 26
Module 4: Hazards and Alert Levels	 33
Module 5: Early Warning, Early Action	 46
Annex 1: Training Outline	 А

TRAINER'S GUIDE IN USING THIS TRAINING MANUAL

This Training Manual on Community-Based Early Warning System (CBEWS) is developed to aid trainers in facilitating and/or conducting Early Warning System (EWS) training in the Communities. As such, the module is developed from the perspective of the community, rather than the academe, without necessarily losing the technical purview of the subject.

The target audience for the training are community leaders and volunteers, with the clear objective of sensitizing communities on the importance of Early Warning and Early Action.

The process in the conduct of the training is pedagogical learning; as such, trainers should make sure that prior to the training proper, he or she must have a clear lesson plan that is tailored to the context of the trainees and the community.

Examples given in the manual can be modified, however, trainers should make sure that the examples are clearly related to the topic and must be realistic.

To facilitate a good learning process, the following tips to the trainers are hereby provided.

Trainers should:

- Get the profile of the participants no less than 2 days prior to the training schedule. This will enable the trainer to get a glimpse of the know-how and background of the participants, which is essential in processing the exercises.
- Get the profile of the community no less than 5 days prior to the training. This will provide the trainer ample time to tailor some of the exercises indicated in the manual to that which is being experienced, or recently experienced, by the community to make the learning more apt and realistic.
- Find out if the community has an existing Community Disaster Plan and EWS to be able to adjust the training process to the needs of the community
- Establish training rules, developed by the participants themselves, at the beginning of the training.
- Respect the participants. The trainer must arrive in the venue at least one hour before the start of the training. This will give the trainer time to set up the room, check the materials and equipment, and welcome the participants to establish rapport.
- Always ensure that the venue is conducive for lecture and the planned exercises or simulation.
- Make simulations and drills as realistic as possible, but mindful of the sensitivities of the
 participants, particularly if the community has similar experience with a scenario to be done
 or being done.
- Bear in mind that if communities can associate with the scenario, a different approach to processing the activity might be required.
- Always be alert to sensitivities and/or feelings of the community associated with the exercise, and include these as part of the process. One or two participants may demonstrate

- anxiety after the exercise and even after the processing of the exercise. If this happens, the trainer must find time to process the feelings of the participant on a separate session.
- Conduct an evaluation after the training; do not focus only on the administrative matters, but more importantly on the areas of content, relevance, and learning.
- Share result of evaluation to HQ DMS, particularly those that has something to do with training content and relevance, so that these will be taken into account in future training manual development.

Pre-Training Climate Setting

Duration: 45 minutes

a. Opening Program: 15 minutes

b. Climate Setting: 30 minutes

Getting to know you exercise

Presentation of Administrative and Training Rules

Note to the trainer: Let the participants set their own ground rules but give them examples such as not being late in the sessions, putting mobile phones on silent mode, etc.

- Leveling of Training expectations

Instruction: Prepare meta cards of 3 different colors. Group the participants into 2 or 3 groups, depending on the class size. Instruct the group to select a rapporteur and a group leader. Tell the participants that in their group they should discuss and enumerate a minimum of 3 expectations on the following aspects:

- from the training
- from their co-participants
- from the trainers

Assign a specific color for each group. Give the group 10 minutes to work on the expectations.

While the participants are working on their expectations, the trainer should assign a board and/or manila paper where the group can stick their answers. The board and/or manila paper should have the heading: EXPECTATIONS FROM THE TRAINING, CO-PARTICIPANTS AND TRAINERS.

Instruct the group that as soon as they are done, or when 10 minutes is up, they are to stick the expectations that they wrote on meta cards, on the designated column on the board/manila paper. Let each group report their expectations. Trainer should process the expectations by clustering similar ideas.

- Presentation of Training Objectives

After processing the expectations per group, the trainer should present the objectives of the training and validate and/or cross-reference the expectations of the participants with the training objectives. Trainer should indicate which of the expectations are not likely to be met and park it, and make sure that at the end of the training, he or she checks which expectations were met and not met and validate the same from the participants. This will be the trainer's integration session.

Course Overview COMMUNITY-BASED EARLY WARNING SYSTEM TRAINING

TARGET AUDIENCE

- Community volunteers (BDAT or 143)
- Barangay Disaster Committee Members
- Barangay Development Council Members
- Barangay Health Workers

OBJECTIVES

At the end of 8.25 hours, the participants shall be able to:

- Define the meaning of disaster
- Explain Disaster and its relationship to Vulnerability and Capacity
- Explain the Hazards in the Philippines
- Explain what is an Early Warning System
- Enumerate the types of warning system
- List down the four (4) elements of EWS
- Identify the different warning signals
- Enumerate actions needed before, during, and after hazard impact
- Integrate the CBEWS in their DP Plan

EXPECTED OUTPUT

The participants have:

- Defined disaster
- Defined and linked disasters to Vulnerability and Capacity
- Enumerated the different hazards in the country
- Understood the meaning of early warning system and its objectives.
- Enumerated the four (4) elements of EWS
- Understood the alert levels
- Identified the different warning signals
- Enumerated actions required before, during and after hazard impact
- Incorporated CBEWS in their DP Plan

PROCESS

Lectures and Discussions Video Presentations Role play/table top-exercises Question and Answer Brainstorming

LOGISTICS

Multimedia Equipment Presentations and slides Training Materials and Supplies

CONTENTS

- Module 1 Disaster Concepts
- Module 2 Philippine Hazardscape
- Module 3- Early Warning Definition, Concepts and Elements
- Module 4 Understanding Hazards and Alert Levels
- Module 5 Early Warning Early Action

Module 1 DISASTER CONCEPTS

SESSION OBJECTIVES

At the end of 1.5 hours discussion, the participants will be able to:

- Define the meaning of Disaster
- Define Hazard , Vulnerability and Capacity
- Analyze the link between , Hazards, Vulnerabilities and Capacities to Disasters

EXPECTED OUTPUTS

The participants have:

- Discussed the meaning of disasters and its component
- Explained Hazard, Vulnerability and Capacity
- Illustrated the connection between hazards, vulnerability and capacity

PROCESS

Lecture and Discussions Question and Answer

LOGISTICS

Multi-media projector Metacards and zopp board if multi-media is not available

CONTENTS

- 1. What is a disaster?
- 2. Types of Disasters
- 3. Defining Hazard, Vulnerability and Capacity
- 4. Causes of Vulnerability

Module 1	
DISASTER CONCEPTS	
ACTIVITY	LOGISTICS &
Start the session by asking the participants the following:	PRESENTATION
Start the session by asking the participants the johowing.	Multi-media
What is a Disaster?	projector
Is it an act of God?	p. 0,0000.
	Flip chart
Elicit as many answers as you can get before presenting a case study. Present a simple case study such as a construction of a building. Narrate to the participants that the lot was given for free but the requirement is that a building should be built for the community in that lot. The congressman donated money for the construction of the building. The Barangay Officials did not consult Mines and Geosciences Bureau (MGB) or Philippine Institute of Volcanology and Seismology (PHIVOLCS) before any construction was done. The building was completed and an inauguration was set with honoured guest invited. A day before the inauguration an earthquake took place and cracks were visible in the building, but because the inauguration is already set the following day and it would be an embarrassment for the barangay officials to cancel it last minute, they decided instead to seal the cracks with plaster and paint it to conceal the cracks. Unfortunately on the day of the inauguration an aftershock took place which is bigger than the first one and the building collapsed with the people in it. Ask the participants:	Lap top
Is there a disaster? If yes/ no, why? When did the disaster start? Could the disaster have been prevented?	
Gather as many responses as possible, and whenever possible let the participant's debate amongst themselves on the question.	
When they have provided ample answers, give the definition of disaster.	
A <u>DISASTER</u> is a serious <u>disruption</u> of the functioning of a society, causing <u>widespread</u> human, material or environmental losses which <u>exceed the ability</u> of the affected society <u>to cope</u> using only its <u>own resources</u> .	
Emphasize to the participants the keywords of what makes a disaster. Tell the participants that an earthquake, for example, is not considered a disaster unless it causes widespread disruption and damage, and the ability of the community to cope is not in place.	
Present to the participants the types of hazards and provide some examples	
Natural Hazards (rapid onset and slow onset) Rapid e.g earthquake, tsunami. Slow Onset e.g. drought	

	Module 1	
	DISASTER CONCEPTS	
	ACTIVITY	LOGISTICS &
ACIIVIIT		PRESENTATIONS

Human Instigated

e.g. chemical spill, nuclear reactor meltdown

Complex Emergencies and Other Situations of Violence

e.g. internal armed conflict

Ask the participants **WHO IS RESPONSIBLE FOR THE DISASTER?**Draw as many answers as you can and generate debate whenever possible before presenting **Disaster as a Process**.

A <u>disaster</u> is the <u>outcome of a process</u> where communities <u>suffer destructive</u> damage of a physical, economical, psychological, social or organizational nature <u>because they did not have the awareness</u>, <u>response preparedness</u>, <u>capacity to prevent or mitigate</u> and/or the <u>capacity to respond</u> in the face of a pre-existing risk.

Present the "Crunch Diagram"

D = <u>Hazard x Vulnerability</u> Capacity

Explain to the participants that the magnitude of a disaster is defined by the hazards and the degree of vulnerability.

Define Hazard

Hazard is a dangerous phenomenon, substance, human activity or condition that may cause loss of life, injury or other health impacts, property damage, loss of livelihood and services, social and economic disruption, or environmental damage. It could be either natural or man-made.

In relation to disaster, hazard is the phenomena that will affect the vulnerable group or elements at risk. In addition, elements at risk or vulnerable groups will be affected differently by hazards of different severity. The more severe the hazard is, the more damage will be inflicted on the element.

Elucidate further what is "hazard' by further grouping them into:

Those based on nature, such as earthquake, floods, typhoons, drought
Those based on violence, such as armed conflict, civil unrest and war
Those based on deterioration, such as environmental degradation or declining
health

Those based on the failing of industrialized society such as technological failure, fires, factory explosions, chemical spills, transport collisions

	Module 1	
	DISASTER CONCEPTS	
	ACTIVITY	LOGISTICS & PRESENTATIONS
Ask the participo	ants What is vulnerability then?	
environmental a	efers to the conditions determined by physical, economic, and political factors or processes that increase risk and people's the impact of hazards.	
environmental inadequate pro limited official i	nay arise from various physical, social, economic, and factors, such as poor design and construction of buildings, tection of assets, lack of public information and awareness, recognition of risks and preparedness measures, disregard for ntal management, and fatalistic attitude.	
When the degree greater.	ee of vulnerability is higher, the effect of the disaster will be	
hazard we are e	ner that vulnerability is hazard-specific, and in the eyes of the qually exposed if we are living in the same location; the capacity and to the damaging effects of a hazard is another story.	

Site an example to further explain the relevance of each.

One good example is the communities in Batanes. Batanes is within the path of typhoons, and one of the most common places to experience typhoon. To reduce or even eliminate disaster risks, the communities build their houses with strong foundation and grow root crops, such as onion, for their livelihood. The hazard (typhoon) could not be eliminated, but vulnerability could be reduced. Consequently, the effect of disaster is reduced.

Explain to the participants the causes of vulnerability.

Deep rooted (poverty, limited access, prejudice)

Dynamic (education, poor systems, lack of training, rapid urbanization, environmental degradation, media freedom)

Marginal conditions (overcrowding, buildings, poor environment, weak economy)

	Module 1	
	DISASTER CONCEPTS	
ACTIVITY		LOGISTICS & PRESENTATIONS

Tell the participants that among the effects of disasters are:

Loss of life

Loss of livelihoods

Damage to property

Destruction of infrastructure

Damage to the environment

Financial loss

Diversion of resources

Epidemics

Migration

Displaced people or Refugees

Food shortages

Insecurity

To mitigate the Disaster, one has to increase the capacity of the individual and the community.

What is Capacity?

<u>Capacity</u> refers to individual and collective strength and resources that can be <u>enhanced</u>, <u>mobilized and accessed</u>, to allow individuals and communities to shape their future by <u>reducing their disaster risk</u>.

Explain to the participants that <u>Capacities</u> are analyzed as the <u>interaction</u> of the <u>resources</u> and access to these resources by the different groups at risk and the overarching systems and structures that decrease or increase the capacity to confront the disaster risk.

There are capacities that addresses vulnerability and these are:

Individual survivability (taking individual action) **Community readiness** (community having warning signals)

There are capacities that addresses hazards and these are:

Preventive Capacity (actions that prevent hazard impacts, e.g. soil stabilization, floodplain regulation)

Mitigation Capacity (actions that reduce hazard impacts, e.g. property protection, education and awareness)

<u>Vulnerability</u> is the **remaining gap** between the **sum of all hazards** a community faces **minus the sum of its capacities and resources** to cope with the possible effects of these hazards.

	Module 1 DISASTER CONCEPTS	
	ACTIVITY	LOGISTICS & PRESENTATIONS
Wrap up the ses	sion by stating the following:	
	ays distinguish between the final trigger and the disaster itself. just a consequence of the trigger but of a whole process.	
One can't under Sound disaster	er might be an act of God, the disaster is definitely not! estand a disaster by just looking at the damage. management does not merely focus on the trigger, but focuses ocess that leads to a disaster.	

Module 2 THE PHILIPPINE HAZARDSCAPE

SESSION OBJECTIVES

By the end of 1.5 hours lecture-discussion, the participants will be able to:

- Identify the Geographic Location of the Philippines
- Enumerate the different hazards in the Philippines

EXPECTED OUTPUTS

The participants have:

- Illustrated the unique Geographical Location of the Philippines
- Explained the reasons why Philippines' location is prone to natural disasters
- Described the different hazards in the Philippines

PROCESS

Lectures and Discussions
Power Point Presentation (47 slides, 7 videos)
Question and Answer

LOGISTICS

Multimedia Equipment Metacards if multimedia is not available

CONTENTS

- 1. Overview of the Philippine Hazardscape
- 2. Hazards in the Philippines
 - 2.1 Hydro-meteorological Hazards
 - a. Typhoon
 - b. Sea Swell
 - c. Flooding
 - d. Flash Flood
 - e. Rain-Induced Landslide
 - f. Drought

2.2 Effects of Climate Change

2.3 Volcanic Hazards

- a. Pyrocastic/Ash Fall
- b. Lava Flow
- c. Lahar

2.4 Geological Hazards

- a. Ground Fissuring
- b. Liquefaction
- c. Earthquake-Induced Landslide

Module 2 THE PHILIPPINE HAZARDSCAPE

- d. Tsunami
- 2.5 Fire Hazards
- 2.6 Technological Hazards
 - a. Sea Tragedy
 - b. Plane Tragedy
 - c. Road Accident
- 2.7 Complex Emergencies and Other Situations of Violence

	Module 2	
	The Philippine Hazardscape	
	ACTIVITY	LOGISTICS & PRESENTATIONS
OVERVIEW OF T	HE PHILIPPINE HAZARDSCAPE	Multi-media
	by asking the participants about the geophysical attributes and ilippines. Possible answers are:	Lap top Meta cards or Flipchart
An archipelago Surrounded by	o y bodies of water	
After recognizing following input:	their answers, you can continue the discussion by giving the	
where 66% of the Ring of Fire (2 making it vulneral	located along the typhoon belt (Western North Pacific Basin) tropical cyclones enter or originate. It is situated in the Pacific ajor tectonic plates meet – Eurasian and Pacific plates), thus ble to volcanic eruptions, earthquakes and tsunami. Its 17,000-creasingly exposed to high risk, and more vulnerable to tidal	
•	of 1995-2003, an annual average of 8,161 fire incidents were y of which are in urban areas, where marginalized people are	
factors, such as o	ling has become the most prevalent disaster. Environmental denuded forest, aggravated flood risks. Loss of forest cover I the likelihood of drought and poor availability of water.	
	nages from previous disasters, between 1990-2006, amount to out 0.5% of the GDP on the average, per year).	
referred to a stud the countries wh	itional Action Plan for DRR of the Philippine Government ly conducted by the World Bank that the Philippines is among ere large percentage of population reside in disaster-prone tion is compounded further by the disparities in poverty	
Philippines is con world (CRED 2010	nsidered as one of the most disaster-prone countries in the 0).	
Philippine enviror infrastructures, p	participants that natural hazards are part and parcel of the nment, but disasters happen because human settlements, beople, and economic activities are placed where hazards participants of the mathematical formula D= H x V/C).	

	Module 2	
	THE PHILIPPINE HAZARDSCAPE	
ACTIVITY		LOGISTICS & PRESENTATIONS
		PRESENTATION

HAZARDS IN THE PHILIPPINES

Important Reminder: The Module is very technical in nature; explain the content in plain words, but in a precise and concise manner. Questions that are very scientific and far advanced may be placed in the parking lot, and the instructor or resource persons may answer them later in the training. In this regard, a smaller and separate white/ blackboard may be reserved for this concern. In doing so, both the trainers and the participants will not forget pending questions or clarifications.

Introduce to the participants the categories of hazards that are common in the Philippines, which are:

- 1. Hydro-meteorological Hazards
- 2. Effects of Climate Change
- 3. Volcanic Hazards
- 4. Geological Hazards
- 5. Fire Hazards
- 6. Technological Hazards

Each of the categories has underlying specific hazards and its effects. This will be discussed thoroughly with current examples.

Gauge the participants to level their thinking in analyzing the hazards that could probably happen in their community.

HYDRO-METEOROLOGICAL HAZARDS: TYPHOON

Typhoon is formed through the process of water cycle, thus the country itself is vulnerable to this hazard since it is surrounded by bodies of water. Annually, an average of twenty (20) typhoons enter the country's area of responsibility. About four (4) of these are destructive.

The typhoon season is from July to November, although occasionally typhoons are known to occur outside this period. During the early part of the season, typhoons tend to cross the northern part of the country. But during the later part (October, November and December), the South and Central Philippines are usually prone to cyclone passage.

If you have enough time, it will be interesting to tell the participants the difference between typhoons, cyclones and hurricanes:

Module 2 THE PHILIPPINE HAZARDSCAPE **LOGISTICS & ACTIVITY PRESENTATIONS** Hurricanes, typhoons and tropical cyclones are different names for the same type of storm. A tropical cyclone is called a hurricane in the North Atlantic Ocean, South Pacific Ocean, or the Northeast Pacific Ocean on the eastern side of the dateline. It is called a typhoon if such occurs in the Northwest Pacific Ocean, west of the dateline. In other parts of the world, these storms are called severe tropical cyclones. In the Philippine scenario, emphasize only the Region-Typhoon Prone Areas where the participants are situated to accentuate the importance of preparedness and early warning of typhoons to the community. Example: Typhoons Ondoy and Pepeng visited the country in 2009 that caused devastating effects on agriculture and industry. **SEA SWELL (MONSOON WAVES)** Sea Swell is an offshore rise of water caused primarily by powerful winds pushing on the ocean's surface. The wind causes the water to pile up higher than the ordinary sea level. It only happens in coastal areas. Emphasize the damage caused by the hazard on agriculture, infrastructure and other vulnerabilities. Monsoon waves must be differentiated from storm surges. Monsoon waves are triggered by strong wind, whereas storm surges are brought by storms or typhoons. **FLOODING** An overflow or accumulation of an expanse of water that submerges land. Flooding is a result of water overflowing from bodies of water such as rivers, lakes, dikes or dams, and torrential rains combined with saturated soil and or undeveloped drainage systems. FLOOD PRONE AREAS IN THE PHILIPPINES To deliver the impacts of flooding, introduce to the participants the flood prone areas in the Philippines. Metro Manila

Region 1: Ilocos Norte, Ilocos Sur, Pangasinan, La Union Region 2: Batanes, Cagayan, Isabela, Nueva Vizcaya, Quirino

Region 4: Quezon, Cavite, Batangas, Marinduque

Region 3: Bataan, Bulacan, Nueva Ecija, Pampanga, Tarlac, Zambales

	Module 2 THE PHILIPPINE HAZARDSCAPE	
	ACTIVITY	LOGISTICS & PRESENTATIONS
Regio	5: Albay, Camarines Sur, Camarines Norte, Catanduanes,	
Pogio	Masbate, Sorsogon 6: Antique, Negros Occidental, Iloilo, Aklan, Capiz	
_	17: Cebu, Bohol, Negros Oriental	
_	8: Biliran, Eastern Samar, Southern Leyte, Western Samar	
_	10: Misamis Oriental	
CARA	6A: Agusan Del Norte, Agusan Del Sur, Surigao Del Norte	
Cordil	era: Benguet, Kalinga, Apayao, Mt. Province, Abra, Ifugao	
Emphasize on	y if the location of the participants are listed on the table. If not,	
highlight the p	ossible occurrence of the hazard in their community.	
Enable the pa	ticipants to know if their community is a flood-prone area, then	
introduce the	classification of flooding in the next slide.	
TYPES OF FLO	OODING	
	y what flooding is to the participants, stress that it is classified ecation and duration.	
According to le	ocation:	
	looding – flood caused by overflowing of the river	
	I Flooding – flood caused by increase of sea level in coastal areas	
	Flooding – human-induced flooding caused by poor drainage , obstruction of waterways, etc.	
According to o	uration:	

2. Flash Flooding – the stream water becomes muddy

FLASH FLOOD

Flash floods are caused by very high intensity rainfall, collapse of dams, or inundation due to storm surges or tsunamis. Flash floods are extremely dangerous because they leave very little time for warning.

RAIN-INDUCED LANDSLIDE

Rain-induced landslides are slope failure that occur along mountain or hill slopes during heavy rainfall.

Module 2	
THE PHILIPPINE HAZARDSCAPE	LOGISTICS O
ACTIVITY	LOGISTICS & PRESENTATIONS
Occurrence of slope failures is common along major highways traversing the mountain regions of the country, especially at the onset of the rainy season. These are mostly triggered by heavy rains, but some of the major causes are drainage problems and wrong cutting of slopes.	
Other road sections with slope protection/stabilization works repeatedly fail because these structures are founded on old landslide materials.	
DROUGHT	
Drought is an extended period of months or years when a region notes a deficiency in water supply. This event is recurring or follows patterns of long period of intense effects.	
Present the drought prone areas in the Philippines. Assess whether the community where the participants live is included in the list.	
EFFECTS OF CLIMATE CHANGE	
Climate Change is a long-term alteration in global weather patterns, especially increases temperature and storm activity, and is regarded as a consequence of the greenhouse effect.	
Effects of Climate Change: a. Increased frequency of weather/climate-related hazards b. Increased severity of weather/climate-related hazards c. Mosquitoes and diseases	
Relate the effects of climate change to the current situation of the Philippines specifically to their community.	
Important: It is recommended that the instructors ask the participant's current observations and experiences regarding drastic changes of environment.	
To emphasize the point, link drought to the current situation of climate change in the world.	
Drought follows a certain pattern, like every seven years. But due to climate change, the pattern has changed, as there is now an increasing occurrence of drought.	

Module 2 THE PHILIPPINE HAZARDSCAPE	
ACTIVITY	LOGISTICS & PRESENTATIONS

VOLCANIC HAZARDS

A volcano is an opening or rupture in the earth's surface or crust, which allow pyroclastic materials and gases to escape from below the surface, and generally found where tectonic plates are diverging or converging.

Classification of Volcanoes:

- 1. Active Eruption in historic times
- 2. Potentially Active Characterized by uncommon eruption or potentiality to erupt considering a long period of time
- 3. Inactive No recorded eruption

Examples of Volcanic Activity:

Mt. Pinatubo Eruption (Zambales, 1991), Mt. Mayon Eruption (Albay, 2009)

VOLCANIC HAZARDS: PYROCLASTIC FLOW (ASH FLOW)

Volcanic ash consists of tiny jagged pieces of rock and glass. Ash is hard, abrasive, mildly corrosive, conducts electricity when wet, and does not dissolve in water. Ash is spread over broad areas by wind.

Falling ash can turn daylight into complete darkness. Accompanied by rain and lightning, the gritty ash can lead to power outages, prevent communications, and disorient people.

VOLCANIC HAZARDS: LAVA FLOW

Lava flows are the least hazardous of all processes in volcanic eruptions. How far a lava flow travels dependS on the flow temperature, silica content, extrusion rate, and slope of the land.

Lava flows don't move very fast, so people rarely get killed by them. However, lava flows are very hot (between 550 and 1400 degrees Celsius) and can therefore cause injuries. People have burnt their skin, charred their eyebrows, and melted the soles of their boots from being near or on a hot lava flow. Lava flows don't cool instantaneously. It can take days to years for a lava flow to completely cool.

VOLCANIC HAZARDS: LAHAR

Lahar is a type of mudslide or landslide with flowing mixtures of volcanic materials and water, and is also referred to as volcanic mudflow, the movement of mud originating from existing volcanic ash deposit.

Ī	Module 2	
	THE PHILIPPINE HAZARDSCAPE	
	ACTIVITY	LOGISTICS & PRESENTATIONS

EARTHQUAKE HAZARDS

Earthquake/Ground Shaking - the result of a sudden release of energy in the earth's crust that creates seismic waves and manifested by shaking and sometimes ground displacement.

Aftershock – an earthquake that occurs after the main earthquake or the main shock.

Earthquake generator - a condition or event that causes an earthquake. These are as follows:

Ground Rupture and Fissuring – is a visible breaking and displacement of the earth's surface along the trace of the fault.

Liquefaction — a process that transforms the behavior of a body of sediments from that of a solid to that of a liquid and usually happens on reclaimed land. Because of the shaking, water-saturated granular material temporarily loosens that lessens its strength and transforms its property from that of a solid's to that of a liquid's. This may cause structures to sink or tilt.

There are three (3) S's that characterize liquefaction:

Shaking, Sandy Soil, and Saturation.

Review the geophysical location of the country and emphasize that the red dots signify recognized volcanoes and black dots signify recorded ground shaking.

Faults are breaks on Earth's land surface. As shown in the map, the red lines indicate the faults in the Philippines and the violet lines indicate the trenches in the Philippines.

Emphasize that the Philippines is surrounded by trenches and faults which generate ground shaking, making it highly vulnerable to earthquake. Identify major faults and trenches that surround the Philippines.

EARTHQUAKE HAZARDS: EARTHQUAKE-INDUCED LANDSLIDE

Occurrence of slope failures that is influenced by ground shaking is common along fault lines and/or communities that are near the vicinity of high land mountains.

Exemplify the current incident of Guinsaogon, Leyte where: the entire school building was engulfed by land coming from the nearby mountain.

Module 2 THE PHILIPPINE HAZARDSCAPE	
ACTIVITY	LOGISTICS & PRESENTATIONS

EARTHQUAKE HAZARDS: TSUNAMI

A **tsunami** is a series of sea waves commonly generated by under-the-sea earthquakes and whose heights could be greater than 5 meters. It is erroneously called tidal waves and sometimes mistakenly associated with storm surges. Tsunamis can occur when the earthquake is shallow-seated and strong enough to displace parts of the seabed and disturb the mass of water over it (official definition of PHIVOLCS).

Natural signs of an approaching tsunami:

- 1. A felt ground shaking;
- 2. Unusual sea level change; sudden sea water retreat or rise;
- 3. Rumbling sound of approaching waves.

Show the pictures of tsunami in Japan and help the participants realize that when a tsunami occurs, the best thing to do is to run or go to higher ground.

Show the video of tsunami in Banda Aceh, Indonesia which reached the downtown area of the city. Emphasize the large amount of debris carried by the tsunami.

FIRE HAZARDS

Fire is the rapid oxidation of a material in the chemical process of combustion, releasing heat, light, and various reaction products.

Emphasize that: fire will worsen when water is thrown over the burning oil on the cooking pan because the oil is denser than the water.

In the Ozone Disco Incident where only one door is utilized for both entrance and exit, the door was in a swing-in orientation. This is why in building structures today, door construction are ideally swing-out or double swing doors.

Exemplify that: fire is an indirect or secondary hazard of earthquake. One classic example of this is the Kobe, Japan earthquake, which caused devastating fire in the community.

TECHNOLOGICAL HAZARDS

Technological hazards are danger originating from technological or industrial conditions including accidents, dangerous procedures, infrastructure failures or certain human activities, which may cause the loss of life or injury, illness or other health impacts, property damage, loss of livelihoods and services, social and economic disruption or environmental damage.

Module 2	
THE PHILIPPINE HAZARDSCAPE	
ACTIVITY	LOGISTICS &
Everyles of technological beyonds include industrial pollution puckey	PRESENTATIONS
Examples of technological hazards include industrial pollution, nuclear radiation, toxic wastes, dam failures, transport accidents, factory explosions,	
fires, and chemical spills. Technological hazards also may arise directly as a	
result of the impacts of a natural hazard event.	
Examples of Technological Hazards:	
1. Transport Accidents	
a. Sea Tragedy	
Super Ferry 14 (February 27, 2004)	
M/V Doña Paz (December 1987)	
M/V Carmela (April 11, 2002) b. Plane Crash	
Air Philippines Flight 541 Tragedy (Davao, 2000)	
c. Road/ Vehicular Accidents	
2. Toxic Waste	
Marcopper Mine Tailings Incident (Marinduque, 1996)	
3. Chemical Spill	
Rapu-rapu Cyanide Spill (Albay, 2005)	
Guimaras Oil Spill (2006)	
4. Nuclear radiation	
Fukushima Power Plant Meltdown (Japan, March 2011, resulted from	
the impact of the 11 March 2011 tsunami)	
Technological hazards occur not only because of human behavior, such as	
violation of protocols and other forms of negligence. It is also due to the	
presence of residual risk. Even if safety is ensured, technology itself will fail.	
COMPLEX EMERGENCIES AND OTHER SITUATIONS OF VIOLENCE	
Complex emergency is extensive violence and loss of life, massive	
displacements of people, widespread damage to societies and economies,	
resulting from internal or external conflict.	
Other situations of violence refers to situations which does not fall under	
complex emergencies or armed conflict, such as rioting, rido or gang wars.	
, 1 1 2 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	
Emphasize the extreme loss of life and need for public vigilance. Tolerable	
suspicion is encouraged in public places.	

	Module 2 THE PHILIPPINE HAZARDSCAPE	
	ACTIVITY	LOGISTICS & PRESENTATIONS
Exa	imples of Complex Emergencies:	
1.	 Terrorism World Trade Center Attack (New York, USA, 2001) Davao International Airport and Sasa Wharf Bombings (Davao City, 2003) 	
2.	Insurgencies	
3.	Bombing Incidents	
Wharf	ant: Before presenting the slides of Davao International Airport and Sasa Bombings, warn the participants that the slides contain sensitive pictures. them to close their eyes if they don't want to see it.	

	Module 2	
	THE PHILIPPINE HAZARDSCAPE	
	ACTIVITY	LOGISTICS & PRESENTATION
6 6.1	D' I I I I I I I I I I I I I I I I I I I	PRESENTATION
Summary of th	e Disaster Landscape of the Philippines	
•	nenomena that pose a threat to people, structures, or economic may cause a disaster. They could be either man-made or naturally r community.	
A review of dif	Ferent hazards in the Philippines:	
2.1 Hyd	ro-meteorological Hazards	
	Typhoon	
b.	Sea Swell	
	Flooding	
_	Flash Flood	
e.	Rain-Induced Landslide	
f.	Drought	
2.2 Effe	ects of Climate Change	
2.3 Vol	canic Hazards	
a.	Pyroclastic/Ash Fall	
	Lava Flow	
C.	Lahar	
	Ground Eissuring	

d. Ground Fissuring

2.4 Earthquake Hazards

- a. Ground Fissuring
- b. Liquefaction
- c. Earthquake-Induced Landslide
- d. Tsunami

2.5 Fire Hazards

2.6 Technological Hazards

- a. Sea Tragedy
- b. Plane Tragedy
- c. Road Accident

2.7 Complex Emergencies and Other Situations of Violence

Emphasize in the presentation the different types of hazards in the Philippines. Instruct the participants to enumerate the common hazards in the Philippines.

Important: Conclude by emphasizing the high probability of occurrence of hazards stated above by stressing the geophysical location and the vulnerabilities that could potentially cause disasters.

	Module 3	
	EARLY WARNING SYSTEM DEFINITION, CONCEPTS	
	AND ELEMENTS	
	ACTIVITY	LOGISTICS &
	ACTIVITY	PRESENTATIONS
SESSION OBJEC	TIVES	PRESENTATIONS
SESSION OBJEC	111/23	
At the end of th	e 1.5 hours session, the participants are able to:	
• Define	what is an early warning system (EWS)	
 Underst 	and the objective of EWS	
• Enumer	ate the four (4) elements in EWS	
EXPECTED OUT	PUTS	
The participants	s have:	
 Process 	ed and assimilated the simulation exercise on EWS	
 Underst 	ood the objectives of EWS	
• Identifi	ed the four (4) elements of EWS	
PROCESS		
Surprise simulat	ion	
Group dynamics	3	
Lecture		
Question and A	nswer	
LOGISTICS		
Metacards		
Manila paper		
Pentel pen		
Multimedia equ		
Pesentation and	l slides	
CONTENTS		
1. Definition	on of Early Warning System	
2. Objectiv	ve of Early Warning System	
	t Early Warnings	
4. Four (4)	Elements of Early Warning System	
		i i

	Module 3	
	EARLY WARNING SYSTEM DEFINITION, CONCEPTS AND ELEMENTS	
	ACTIVITY	LOGISTICS &
CINALII	ATION EXERCISE: TSUNAMI	PRESENTATIONS
SIIVIUL	ATION EXERCISE: ISONAIVII	Multi-
Simula	tion Direction:	media/Laptop/pentel pens/ flip
1.	Announce to the participants that a tsunami alert level 3 has been	charts/meta cards
	issued and the venue is likely to be affected.	charts/meta caras
2.	Instruct participants to group themselves into two (2) quickly and	
2	they select a team leader	
3.	Instruct them further to proceed to the nearest exit and move as a group to higher ground	
4	Tell the participants that we have only 10 minutes to move to safety	
	Instruct the team leaders to guide their team members to evacuate	
	to the safest evacuation route and place	
6.	Request all participants to go back to the room	
7.	Instruct the group to process what they have done for 10 minutes	
	between the group members	
8.	Process the simulation as one group	
DEVIA	ION:	
Fac	cilitator can likewise use an event that is identified as the most nmon hazard identified in the BDAP, wherein the capacity of the	
	nmunity to cope is low.	
IMPOR	TANT:	
	✓ Make sure that participants are caught by surprise of the event	
	✓ Prepare first aid kit just in case	
SYNTH	ESIS:	
Ask	the participants:	
•	How do they feel about the simulation?	
•	What did they observe from their co-participants?	
•	Did the group work as a team?	
•	How did they select the site?	
•	Did all the participants know what the alert level means and what is expected of them?	
•	If they are to do the simulation again, would they change how they reacted?	
•	How would they relate the simulation to real events situation?	
	age the participants to express what they feel, not what they think he drill.	

Module 3 EARLY WARNING SYSTEM DEFINITION, CONCEPTS AND ELEMENTS

ACTIVITY

LOGISTICS & PRESENTATIONS

KEY LEARNING POINTS OF THE SIMULATION:

- Importance of understanding the warning and taking action when warning is received
- Knowing what to do prior to the event is primordial in lessening risk
- Cooperation in executing the plan is a key to successful implementation
- Value of early warning-early action

INPUT: EARLY WARNING DEFINED

A warning system is any system of biological or technical nature deployed by individual or group to **inform of a future danger**. The purpose is to enable recipient of the warning system to **prepare** for the danger accordingly and **act accordingly** to **mitigate** against or avoid it.

Early Warning is about provision of information to individuals, households, groups or a community about the **existence of a hazard or danger** with **ample expectancy** on **what can be done to prevent or minimize the danger.**

Emphasize the key terms:

- 1. System it means it interacts with other components to make it work
- 2. Inform of future danger means the event can be forecasted and warning is given before the impact
- 3. Prepare identify courses of action i.e. what is the sign? Where to go? How to get there? What to bring?
- 4. Act accordingly execute plan

The ultimate goal of hazard forecasting and early warning systems is to **protect** lives and property.

Emphasize the importance of taking action by all stakeholders in the EWS - early warning institutions [MGB, National Disaster Risk Reduction and Management Council/Office of the Civil Defense (NDRRMC/OCD) Philippine Atmospheric Geophysical and Astronomical Services Administration (PAGASA), PHIVOLCS, Department of Health (DOH)], Local Government Units, Communities including RC143

Warnings are given with the following purpose:

- Inform community about hazards: What is the risk? Who are at risk?
 Issue guidance on means to protect or prepare for the event: mitigation activities or education
- And direct community on who will do what in order to deal with the impending hazard

Module 3 EARLY WARNING SYSTEM DEFINITION, CONCEPTS AND ELEMENTS

ACTIVITY

LOGISTICS & PRESENTATIONS

GROUP WORK:

- Group the participants into two (2). Ask each group to select a rapporteur.
- Distribute a manila paper and pentel pen to each group
- Instruct the group to identify an early warning in their community. Let them discuss amongst themselves and let them list down ways on how the warning is communicated? Who communicates the warning? What are the actions expected of them. Let them write down the answers in the Manila paper.
- Give the group 20 minutes to discuss and work on their answers
- Let each group present their answers giving them 5 minutes each

PROCESS:

After the groups have presented, ask the group the following questions:

- ✓ Is the exercise of identifying existing early warning system in their community easy?
- ✓ Is the warning system known to all? Understood by all?
- ✓ Does the early warning, when given, generate action from the people?

After going through the exercise, ask the participants if they feel that the early warning that they have is sufficient and well understood in the community?

Note:

If the group will come up empty handed, meaning they cannot recall any early warning at all; facilitator should ask the group, how does the community know if there is an impending disaster such as flooding? From whom are they getting the information? Do they think that it is important to have early warning?

INPUT:

Define the two different EWS.

Local or Indigenous – existing or present in the community that is passed on from generation to generation and usually generated as a result of beliefs and culture.

This is usually transferred in the community through long time of observation, practices or habits that came out after a disaster, i.e. seasonal calendar-community knows when to plant; or when not to go to sea.

Module 3 EARLY WARNING SYSTEM DEFINITION, CONCEPTS AND ELEMENTS

ACTIVITY

LOGISTICS & PRESENTATIONS

Scientific – based on research and studies and developed by early warning institutions, such as PHIVOLCS, PAGASA, MGB, DOH

Information are shared with the LGU or communities, i.e. hazard maps, typhoon signals

Elements of Early Warning System

INPUT: FOUR ELEMENTS OF EARLY WARNING SYSTEM

For an early warning system to be effective, it should comprise four (4) elements:

- a. Knowledge of the Risk
- b. Monitoring and Warning Services
- c. Dissemination and Communication and
- d. Response Capabilities

Emphasize to the participants that the 4 elements are interlinked/interconnected, and that if one element is missing or weak, then the EWS will not succeed.

Elucidate further each of the elements to the participants.

RISK KNOWLEDGE

BRAINSTORMING:

Start the session by asking the participants to reflect on the VCA and Risk and Resource mapping that they have done earlier. As a group, let them come up with the hazards that they faced in the community and let them rank it by show of hands. Validate results by show of hands; ask those who oppose why they think it should not be ranked as such. End the brainstorming by posing the question, does the community really know the hazards that they face and how vulnerable they are to the hazards?

INPUT:

Individuals, families and community members should have prior knowledge of the risks they face.

Risks are the result of hazards and the vulnerabilities that are present in the community. However, the degree of vulnerability is determined by the existing capacity in the community.

Module 3 EARLY WARNING SYSTEM DEFINITION, CONCEPTS AND ELEMENTS

ACTIVITY

LOGISTICS & PRESENTATIONS

Show the mathematical formula

Hazards - Capacities and Resources = Risk.

Vulnerability is the remaining gap between the sum of all hazards a community faces minus the sum of its capacities and resources to cope with the possible effects of these hazards

MONITORING AND WARNING

This is often considered as the core of EWS. This component involves hazard detection and requires:

- Sound and updated base of information and resources
- Constant monitoring of hazard parameters for forecasting activities

Emphasize the need to consider local practices for monitoring local hazards.

Explain to the participants that it is very important to monitor the right hazards in the community.

Monitoring and warning should be able to monitor the **right parameters**. It should make sure that there is a **sound scientific basis for making the forecast**.

You can highlight here the distrust that people have sometimes when warning turns out inaccurate or without basis. Emphasize the need for **reliable and timely warning** and give examples i.e. earthquake-no warning can be generated but if it will generate tsunami- warning can be generated depending on timescales of impact

DISSEMINATION AND COMMUNICATION

The element of dissemination and communication require:

- Effective transmission of information on risk
- A continued review to know if warnings are:
 - 1. Reaching relevant people and communities
 - 2. Understood i.e. communities know what to do depending on what information they receive

	Module 3 EARLY WARNING SYSTEM DEFINITION, CONCEPTS AND ELEMENTS	
	ACTIVITY	LOGISTICS & PRESENTATIONS
	ants how do they receive warning? Who issues the warning? Are actions from them?	
	the participants the different ways of giving warning and/oring, and give concrete examples:	
Village/	Community meetings e.g. result of HVCA	
Posters, posters	/Billboards/Notices e.g. what to do before, during and after	
	edia i.e. TV, print, radio and social networking sites	
SMS Pictorial	messages e.g. nakakamatay tumawid dito	
Mascots	· · ·	
• Other i amateu	ndigenous forms and channels, e.g. bamboo clapper, siren, r radio	
RESPONSE CAPA	ABILITY	
community on	bility refers to the knowledge and preparedness to act by the the threats in the community. Give examples such as trained its, rescue equipment.	
understand the	e participants if the most vulnerable people in their community risk that they face. Do these people heed the warning and take a community plan and does the community conduct drills and	

Module 4 HAZARDS AND ALERT LEVELS

SESSION OBJECTIVES

At the end of the 1.5 hours session, the participants are able to:

- · Identify different ways of giving warning and/or receiving warning
- · Enumerate the considerations in giving out warning
- Describe the hazards common in the community and identify community warning system
- Enumerate the different alert levels and identify the actions required for each level
- List down what to do before, during, and after hazard impact

EXPECTED OUTPUTS

- Ways of giving and receiving alert/signals are identified
- Considerations in giving out warning is understood
- Hazards specific to the community are identified and meaning of alert levels for each specific hazards understood
- Action required for each alert level are appreciated
- Actions needed before, during and after hazard impact are defined and understood

PROCESS

Case studies Lecture and Discussions Question and Answer

LOGISTICS

Manila paper
Pentel pen
Multimedia equipment
Pesentation and slides

CONTENTS

- 1. Modalities of giving and receiving warnings
- 2. Consideration in giving warning
- 3. Common hazards with established alert levels and their specific meanings
- 4. Family and community preparedness: Hazard specific to dos: Before, During and After

Module 4	
HAZARDS AND ALERT LEVELS	
ACTIVITY	LOGISTICS &
	PRESENTATIONS

PLENARY:

Before starting the discussion, ask the participants what are the means and ways of communicating and receiving warnings/alert that they know of. List down all what the participants said. Validate what they said by doing a lecture.

INPUT:

METHODS/CHANNELS USED IN GIVING OUT WARNING

Reflect on the input on what an early warning is, which is about provision of information to individuals, family, community or organizations on the existence of an impending danger, in order to generate action from them to prevent or avoid the danger; it is important that we identify the medium to which the information is either transmitted or received which includes:

- ✓ Barangay Assemblies (announcements i.e. VCA or Risk and resource mapping result)
- ✓ Billboards or posters (Tsunami evacuation route/prevention of diseases)
- ✓ Quad-media (Radio, TV, Print and Social Networking sites)
- ✓ SMS i.e. powertexting
- ✓ Amateur radio i.e. REACT, RECON, Kabalikat
- ✓ Films i.e. film showing distributed in school
- ✓ Other indigenous channels i.e. tribal chieftain in meetings

CONSIDERATIONS IN GIVING OUT WARNING

Emphasize to the participants that when an early warning is given, a corresponding action is required. An early warning that does not generate action is an exercise in futility as it will not achieve the ultimate goal of EW which is taking action to avoid and or minimize the danger of the impending hazard. Thus the following must be given due attention and consideration at all times:

✓ Are the people informed? Do they understand the different phases of warning? What does it mean? What actions are expected from them?

Example:

From Early Warning Institutions

Typhoon Signal # 1, 2, 3 and 4 Tsunami Alert level 0, 1, 2 and 3 Volcano Alert Level 0, 1, 2, 3, 4 and 5

		Module 4	
		HAZARDS AND ALERT LEVELS	
		ACTIVITY	LOGISTICS & PRESENTATION
	Community Establish	hed EWS	
	Flood warning #1 Flood warning #2	floodwater is 2 feet deep in Purok 1 floodwater is 5 feet deep in Purok 1 and 3 feet deep in Purok 2	
✓	or community mor	dated of the forecast from early warning agencies, nitoring team such as the RC143/BDAT, using hat is understood, seen, or heard by all?	
	Example:		
	Flood warning #1 Flood warning # 2 Flood warning # 3	1 short whistle or green flag raised 2 short whistles or yellow flag is raised continuous whistle or red flag is raised	
✓	Is the information ge	enerated consistent all throughout?	
		onsistent and uniform messages of what the signals pected from the residents are disseminated.	
	Example:		
	Flood warning #3 - 1, 2, 3 evacuate to Bi	continuous whistle or red flag - residents of Purok rgy. Buhay	
	officials link with ear community is organi	cy of information, it is important that community ly warning institutions, and a local communications ized whose primary task is to package information and disseminate them widely	
✓	Are information boa	rds placed in conspicuous public places?	
	Information board information.	is one of the media in giving out warning or	
	Example:		
	Dengue prevention Tsunami evacuation	route	
	public or conspicuo	that these information boards should be placed in ous places in the community such as churches, school, municipal hall (civil registrar/tax offices etc),	

	Module 4	
	HAZARDS AND ALERT LEVELS	
	ACTIVITY	LOGISTICS & PRESENTATION
	les and responsibilities of barangay officials, RC143, or ations well defined and clearly understood by all concerned?	
given ta	ortant that organizations involved in response are identified and sks or roles. The task or role should be based on their mandate acity to address the specific type of hazard	
Example	2:	
MSWD-	apter – Search and Rescue and First Aid - Food Provision Army/ OCD - Evacuation Health	
Does th	varning specific to the hazard and gives advice on what to do? see community understand what specific action is required of each level?	
	g should always be based on the result of the HVCA and Risk and the Mapping.	
	d always be hazard specific and gives a clear idea of what is d of people when they get the signal.	
Example	2:	
Flood –	Alert Level #1 – 1 whistle- ready Alert Level #2 – 2 whistles – prepare to evacuate - Alert Level # 3 – continuous whistle – evacuate to designated ion site	
neaning of ale	ntation, ask the participants in plenary if they are aware of the rt levels/signals. Give an example of Typhoon. Ask them what ignal # 1 mean? Signal #2? Signal # 3?	
Iction from the Injury happen d	re participants that these signals mean something, and requires recipient of the signals. Tell them that majority of deaths and uring disasters because people either do not receive the alert; or t, they do not understand what it means; or if they understand	

recent disaster in your area that resulted to such.

what it means, they do not heed the warning or take action. Give Typhoon Ondoy as an example wherein people, despite warning to evacuate because of flooding, refused to leave their houses. You may also give a specific example of a

	Module 4	
	HAZARDS AND ALERT LEVELS	
	ACTIVITY	LOGISTICS &
		PRESENTATIONS

Given these examples, it is very important that families, communities or organizations understand what the alert/signals of each specific hazards are and what they mean:

HAZARDS AND ALERT LEVELS ESTABLISHED BY EARLY WARNING INSTITUTIONS

TYPHOONS

Locally known as "Bagyo", typhoons are tropical cyclones that enter the Philippine Area of Responsibility (PAR). Around 20-22 tropical cyclones enter the PAR annually, and usually 6 to 9 make a landfall. The Philippine Atmospheric, Geophysical and Astronomical Services Administration (PAGASA) is the institution that raises public storm signal warnings as deemed necessary.

PUBLIC STORM WARNING SIGNAL (PSWS) #1

Meteorologi	cal	Impact of Winds	Precautionary
Condition			Measures
Winds of 30-60 kg	oh may - tw	vigs and branches of	- waves on coastal
be expected in at	least sr	nall trees may be	waters may gradually
36 hours, or	br	roken	develop and become
intermittent rains	may - so	me banana plants	bigger or higher
be expected with	in 36 m	ay be tilted or	- people should listen to
hours	do	owned	the latest severe
	- so	me houses of very	weather bulletin issued
	lig	ght materials (nipa	by PAGASA every 6
	ar	nd cogon) may be	hours
	pa	artially unroofed	- Disaster Preparedness
	- ve	ery light or no	is activated to alert
		amage at all may be	status
		istained by the	
		cposed communities	
		ce crop, however,	
		ay suffer significant	
		amage when it is in	
	its	s flowering stage	

Module 4	
HAZARDS AND ALERT LEVELS	
ACTIVITY	LOGISTICS &
	PRESENTATIONS

PUBLIC STORM WARNING SIGNAL (PSWS) #2

Meteorological	Impact of Winds	Precautionary
Condition		Measures
Winds of greater than	 Some coconut trees 	- sea and coastal waters
60 kph and up to 100	may be tilted with few	are dangerous
kph may be expected in	others broken	- special attention
at least 24 hours	 Few big trees may be 	should be given to the
	uprooted	latest position, the
	 Many banana plants 	direction and speed
	may be downed	movement and the
	- Rice and corn may be	intensity of the storm
	adversely affected	as it may intensify and
	 Large number of nipa 	move towards the
	and cogon houses may	locality
	be partially or totally	- the general public,
	unroofed	especially people
	 Some old galvanized 	travelling by sea and
	iron roofing may be	air, are cautioned to
	peeled off	avoid unnecessary
	- In general, the winds	risks
	may bring light to	 outdoor activities of
	moderate damage to	children should be
	exposed communities	postponed
		- secure properties
		before the signal is
		upgraded
		- DP organizations/
		agencies are in action
		to alert their
		communities

	Modu HAZARDS AND		
l	ACTIVITY		LOGISTICS &
	PRESENTATIONS		
Meteorological	ING SIGNAL (PSWS) #3 Impact of Winds	Precautionary Measures	
Condition			
Winds greater than 100kph up to 185 kph may be expected in at least 18 hours	- many coconut trees may be broken or destroyed - almost all banana plants may be downed and a large number of trees may be uprooted - rice and corn crops may suffer heavy losses - majority of all nipa and cogon houses may be unroofed or destroyed, and there may be considerable damage to structures of light to medium construction - there may be widespread disruption of electrical power and communication services including internet -in general, moderate to heavy damage may be expected, practically in the agricultural and industrial sectors	- the disturbance is dangerous to communities threatened/affected - sea and coastal waters will be very dangerous to all types of sea crafts - travel is risky, especially by sea and air - people are advised to seek shelter in strong buildings, evacuate low-lying areas, and stay away from the coast and river banks - watch out for the passage of the "eye" of the typhoon indicated by sudden occurrence of fair weather immediately after a very bad weather, with very strong winds coming generally from the north - when the eye of the typhoon hits the community, do not venture away from the safe shelter because, after 1 or 2 hours, the worst weather will resume with very strong winds coming from the south - classes in all levels and work are suspended, and children should stay in safety of strong buildings and evacuation centers - disaster preparedness or response agencies/ organizations are in action with appropriate response	

Module 4	
HAZARDS AND ALERT LEVELS	
ACTIVITY	LOGISTICS &
	PRESENTATIONS

PUBLIC STORM WARNING SIGNAL (PSWS) #4

Meteorological	Impact of Winds	Precautionary Measures
Condition		
A very intense typhoon will affect the locality, with very strong winds of more than 185 kph expected in at least 12 hours	 coconut plantation will suffer extensive damage many large trees may be uprooted rice and corn plantation may suffer severe losses most residential and institutional buildings of mixed construction may be severely damaged electric power distribution and communication services including internet may be severely disrupted Overall damage to affected communities can be very heavy 	 situation is potentially destructive to the community all travels and outdoor activities should be canceled evacuation to much safer shelters should have been completed since it may be too late under this situation with PSWS4, the locality is very likely to be hit directly by the "eye" of the typhoon. the DRRMC, PRC and other response organizations are now fully responding to emergencies, in full readiness to immediately respond to possible calamity

Hazards associated with Typhoons are:

STORM SURGE

Refers to the sudden and rapid rise in sea-level that occurs as the typhoon approaches the coastline. Surges cause the most havoc when they recede, as receding sea water can wipe out everything from its path

STRONG WINDS

Typhoons can produced a wind speed of more than 185kph, and such wind speeds can generate considerable structural damage and pose risk to people's lives from flying debris.

HEAVY RAINFALL

Torrential rains accompany typhoons, like Typhoon Ondoy and Pepeng, where heavy rains can generate the rapid swelling of rivers or rapid flow in coastal stream catchments and water reservoirs that leads to inland flooding or flashfloods.

Module 4	
HAZARDS AND ALERT LEVELS	
ACTIVITY	LOGISTICS &
	PRESENTATIONS

LANDSLIDES

Heavy rains, as a result of a typhoon, may likewise generate landslides that can bury communities or parcel of land.

VOLCANO ALERT LEVELS

There are 22 active volcanoes in the Philippines. The volcano authority in the Philippines is PHIVOLCS. The alert level system used by PHIVOLCS runs from Alert Level 0 (lowest) to Alert Level 5 (highest) as follows:

Alert Level	Criteria	Interpretation
0	Background quiet	No eruption in foreseeable
		future
1	Low level unrest	No eruption imminent
2	Moderate unrest. Persistence of	Unrest probably of
	local, but unfelt earthquakes	magmatic origin, could
		eventually lead to eruption
3	Relatively high unrest	Magma is closer to the
	manifested by increasing	crater. Eruption is possible
	occurrence of low frequency	within days to weeks
	earthquakes.	
4	Intense unrest. Harmonic tremor	Hazardous explosive
	and or "low frequency	eruption is possible within
	earthquakes" which are usually	days
	felt.	
5	Hazardous eruption ongoing	

Note: Volcanic alert level system used in the Philippines. The system as shown is used for Mayon, but (with slight variations in wording) is applied to other Philippines volcanoes as well.

Hazards associated with volcanic eruptions include:

- 1. Base surge
- 2. Ashfalls
- 3. Ballistic projectiles
- 4. Lava flows
- 5. Toxic volcanic gases and acid rain
- 6. If it is situated in a lake or sea it may cause seiche or tsunami
- 7. Fissuring and ground subsidence
- 8. Earthquakes

Module 4	
HAZARDS AND ALERT LEVELS	
ACTIVITY	LOGISTICS &
	PRESENTATIONS

TSUNAMI ALERT LEVELS

A **tsunami** is a series of sea waves commonly generated by under-the-sea earthquakes and whose heights could be greater than 5 meters. It is erroneously called tidal waves and sometimes mistakenly associated with storm surges. Tsunamis can occur when the earthquake is shallow-seated and strong enough to displace parts of the seabed and disturb the mass of water over it. If it occurs in the lake it is called seiche.

SOME NATURAL SIGNS OF AN APPROACHING LOCAL TSUNAMI

- 1) A felt earthquake
- 2) Unusual sea level change: sudden sea water retreat or rise
- 3) Rumbling sound of approaching waves

Alert Level	What it means	Action Required
0	No tsunami threat	
1	Waiting for confirmation of	Be ready, wait for further
	tsunami	information
		No evacuation
		Information released to general
		public
2	Confirmed tsunami near	Tsunami watch in effect
	epicentral area, wave	No evacuation
	heights non threatening	Observe precautionary
		measures near coastline-stay
		away from coastline
3	Life threatening tsunami	IMMEDIATE EVACUATION of
	generated near epicenter	areas projected to be affected
		EVACUATION ORDER (go to
		highest ground)
		NDRRMC flow of info
		community based alarms and
		media

Module 4	
HAZARDS AND ALERT LEVELS	
ACTIVITY	LOGISTICS &
	PRESENTATIONS

EARTHQUAKES

ntensity	Description
I	SCARCELY PERCEPTIBLE
	Perceptible to people only under favorable circumstances
	 Delicately-balanced objects are disturbed slightly
	Still water in containers oscillates slightly
П	SLIGHTLY FELT
	o Felt by few individuals at rest indoors
	 Hanging objects swing slightly
	Still water in containers oscillates noticeably
III	WEAK
	o Felt by many people indoors especially in upper floors of
	buildings. Vibration is felt like the passing of a light truck.
	Dizziness and nausea are experienced by some people
	 Hanging objects swing moderately
	Still water in containers oscillates moderately
IV	MODERATELY STRONG
	o Felt generally by people indoors and some people outdoors.
	Light sleepers are awakened. Vibration is felt like the passing
	of a heavy truck
	o Hanging objects swing considerably. Dinner plates, glasses,
	windows and doors rattle. Floor and walls of wood-framed
	buildings creak. Standing motor cars may rock slightly
	Water in containers oscillates strongly
	Rumbling sounds may sometimes be heard
V	STRONG
	o Generally felt by most people indoors and outdoors. Many
	sleeping people awakened. Strong shaking and rocking are
	felt throughout the building
	Hanging objects swing violently. Dining utensils clatter and
	clink; some are broken. Small light and unstable objects may
	fall or overturn. Liquids spill from filled open containers.
	Standing vehicles rock noticeably
VI	 Shaking of leaves and twigs of trees is noticeable VERY STRONG
VI	
	Many people are frightened and run outdoors. Some people less their halance. Motorists feel like driving with flat tires.
	lose their balance. Motorists feel like driving with flat tires Heavy objects and furniture move or may be shifted. Small
	church bells may ring. Wall plaster may crack. Very old or
	poorly built houses and man-made structures are slightly
	damaged, though well-built structures are not affected
	 Limited rockfalls and rolling boulders occur in hilly to
	mountainous areas and escarpments. Trees are noticeably
	shaken

	Module 4	
	HAZARDS AND ALERT LEVELS	
	ACTIVITY	LOGISTICS & PRESENTATIONS
Intonsity	Description	PRESENTATIONS
Intensity VII	Description DESTRUCTIVE	
VII	Most people are frightened and run outdoors. People find it	
	difficult to stand in upper floors	
	Heavy objects and furniture overturn or topple. Big church	
	bells may ring. Old or poorly built structures suffer	
	considerable damage. Some well-built structures are slightly	
	damaged. Some cracks may appear on dikes, fish ponds,	
	road surfaces or concrete hollow block walls.	
	 Limited liquefaction, lateral spreading and landslides are 	
	observed. Trees are shaken strongly (Liquefaction is a	
	process by which loose saturated sand loses strength during	
	an earthquake, and behaves like liquid)	
VIII	VERY DESTRUCTIVE	
	o People are panicky. People find it difficult to stand even	
	outdoors	
	o Many well-built buildings are considerably damaged.	
	Concrete dikes and foundations of bridges are destroyed by	
	ground settling or toppling. Railway tracks are bent or	
	broken.	
	o Tombstones may be displaced, twisted or overturned. Utility	
	posts, towers and monuments may tilt or topple. Water and	
	sewer pipes may be bent, twisted or broken	
	o Liquefaction and lateral spreading cause man-made	
	structures to sink, tilt, or topple. Numerous landslides and	
	rockfalls occur in mountainous and hilly areas. Boulders are	
	thrown out from their positions particularly near the	
	epicenter. Fissures and fault rupture may be observed. Trees	
	are violently shaken. Water splashes or slops over dikes or	
IX	banks of rivers. DEVASTATING	
1/	People are forcibly thrown to the ground. Many cry and	
	shake in fear.	
	Most buildings are totally damaged. Bridges and elevated	
	concrete structures are toppled or destroyed.	
	Numerous utility posts, towers and monuments are tilted,	
	toppled or broken. Water and sewer pipes are bent , twisted	
	or broken.	
	Landslides and liquefaction with lateral spreading and	
	sandboils are widespread. The ground is distorted into	
	undulations. Trees are shaken very violently with some	
	toppled or broken. Boulders are commonly thrown out. River	
	water splashes violently or slops over dikes and banks.	
L		

	Module 4 HAZARDS AND ALERT LEVELS	
	ACTIVITY	LOGISTICS & PRESENTATIONS
Intensity	Description	
X	 COMPLETELY DEVASTATING Practically all man-made structures are destroyed Massive landslides and liquefaction, large scale subsidence and uplifting of landforms, and many ground fissures are observed. Changes in river courses and destructive seiches in lakes occur. Many trees are toppled, broken or uprooted. 	

Hazards associated with earthquakes:

- 1. Liquefaction
- 2. Landslides
- 3. Tsunami/seiche
- 4. Flooding

IDENTIFYING OTHER COMMON COMMUNITY HAZARDS

In plenary session, ask the participants to identify other hazards that are present in their community. List down the hazards in the white board and ask—the participants if they have early warning signals existing for these types of hazards. If the response is none, group the participants into two. Assign a specific community hazard that were identified by them to each group, and instruct the groups to come up with an early warning signal for the type of hazard assigned to them. Instruct them further to act it out as a form of reporting or feedback in plenary.

After the presentation of each group ask them:

- ✓ How do they feel in the exercise?
- ✓ Was it easy for the group to come up with the early warning signals for the hazard they are assigned to?
- ✓ In coming up with the signal, did the group encounter difficulty?
- ✓ Is having signal for specific hazards helpful?

Synthesize the session by asking the participants if they knew what they are supposed to do before, during, and after a hazard strikes. This will be an entry for the next discussion on what to do.

(What to do before, during, and after hazard impact)

SESSION OBJECTIVES

At the end of 1.5 hours session, the participants are able to:

- Enumerate what actions are required prior, during, and after the impact of a specific hazard event
- Associate actions to the warning issued

EXPECTED OUTPUTS

- Actions required for each alert level are appreciated
- Actions needed before, during, and after hazard impact are defined and understood

PROCESS

Lecture and Discussions Question and Answer

LOGISTICS

Manila paper Pentel pen Multimedia equipment Pesentation and slides

CONTENTS

- 1. Family and community preparedness: Hazard specific to dos: Before, During, and After
- 2. Standard content of a survival kit

(What to do before, during and after hazard impact)

ACTIVITY

LOGISTICS & PRESENTATIONS

LIST OF WHAT TO DO BEFORE, DURING, AND AFTER HAZARD IMPACT

Following the group presentation and the synthesis, ask the group to once again discuss amongst themselves what they think they should do before, during, and after the impact of a hazard, for each hazard assigned to them. Give them 5-10 minutes to come up with the list. Let each group appoint a rapporteur to report the output of the group.

After presentation of the output of each group, highlight to them the purpose of an early warning. Once a person or the community receives a warning, they are required to take action to minimize the impact of the upcoming hazard. Reinforce the principle of early warning, early action. Emphasize that no amount of warning will reduce a risk if the individual, family, or community will not take action.

Present to the participants the list of what to do before, during, and after hazard impact.

a. TYPHOON

a.1 What to do Before the Typhoon arrives

- ✓ Store food and clean potable water. Prepare food that does not require cooking or heating such as canned goods and power bars
- ✓ Make sure that you have emergency battery operated lights and transistor radio ready and handy
- ✓ Monitor TV and radio stations for weather updates
- ✓ Check your house for structures that needs retrofitting or repair, and retrofit or strengthen it when necessary to withstand the wind speed
- ✓ Herd domesticated animals to safe grounds. If you have agricultural crops that can already be harvested, harvest them before the typhoon strikes
- ✓ Small fishing boats or vessels should be well anchored on safer areas
- ✓ If you are living in an area that is frequently flooded, or near mountain slopes or near riverbanks or near the sea, you must have your ready-to-grab survival kit should an evacuation be required

a.2 When Typhoon is already brewing

- ✓ Stay indoors all the time unless you are told to evacuate to the nearest evacuation center
- ✓ Monitor the news and weather forecast on radio and TV to get the latest information

(What to do before, during and after hazard impact)

ACTIVITY

LOGISTICS & PRESENTATIONS

- ✓ Boil tap water especially if some areas are flooded
- ✓ Ensure that candles or lanterns are kept away from flammable objects or materials when using them
- ✓ Never walk or expose yourself unnecessarily in flood waters
- ✓ If you need to evacuate, be calm and move in an orderly and safe manner. Close all windows and doors before leaving your house. If you have time, make sure that appliances or equipment are moved to higher parts of the house. Avoid roads or routes that are near the river. Never cross rivers or streams at the height of the typhoon.

a.3 After the Typhoon

- ✓ Return home only when local authorities have declared that your area is safe
- ✓ Stay away from power lines and electrical wires. Immediately report downed power lines to the power company. If power lines are down outside your home, do not step on puddles or stand on water.
- ✓ Before entering your homes, look for loose power lines and other damage. Structures that have been damaged by flooding may not be safe to enter.
- ✓ Look out for wild animals especially snakes. Small animals may have come into your home. Use a pole or stick to poke and turn things over and scare away the small animals.
- ✓ Throw away or empty containers that have accumulated water as this is a breeding ground for mosquitoes.

b. FIRE

b.1. Fireproofing your home

- ✓ Eliminate fire hazards through good housekeeping: dispose waster paper, trash and other flammable materials regularly.
- ✓ Keep matches OUT of children's reach.
- ✓ Oil or gas lamps and candles should be placed away from curtains or flammable materials. Do not place them near windows, fans or where children or pets may fall over them. PUT OUT THE FLAME before going to bed.
- ✓ NEVER leave a lighted cigarette/cigar/pipe unattended.
- ✓ Do not keep FLAMMABLE materials like gasoline, kerosene, alcohol and paint inside the house.
- ✓ Regularly CHECK your electrical installations and have all threadbare wirings and electrical equipment changed or repaired by licensed electrician.
- ✓ Do not overload electrical circuits by putting additional lights and appliances.

	Module 5	
	EARLY WARNING, EARLY ACTION	
	(What to do before, during and after hazard impact)	
	ACTIVITY	LOGISTICS & PRESENTATIONS
do not ligh window to ✓ Make a FII escape rou	that there is no gas leak inside your house. If you smell gas, t a candle or matchsticks. Immediately open all doors and allow gas air to escape. RE ESCAPE PLAN. The plan needs to include at least two tes for every room in the home and a convenient meeting afe distance.	
b.2 IN CASE OF FIRE	E or WHEN FIRE IS ON PROGRESS	
you. ✓ Before fire have close at the sour petrol, new blanket or at the main swift you must for the door another fire soon as you with door a window. If	goes out of control, extinguish fire if you are standing or access to a fire extinguisher or a bucket full of sand. It ce or cause of fire is faulty electrical wiring, gasoline, or acred duse water over the flame. Cover it with very wet cloth or throw a bucketful of sand or source of fire is electrical in nature, immediately turn off witch exit through smoke, crawl low under the smoke to your exit. It is warm DO NOT open it. A backdraft might occur. Find the exit nearest you. Call the fire department immediately as a are in a safe place/area. It is a safe place and the same block your exit routes, STAY IN THE ROOM closed. Signal for help using a brightly colored cloth at the there is a telephone in the room, call the fire department im where you are.	
b.3 AFTER THE FIRE		
or have inh checked by ✓ Even if the	y go to the nearest clinic or hospital if you have burn injuries aled smoke. However small the injury or burn is, it should be a physician. building or house did not totally burn down, never enter the ntil you are sure that the structure is still sound and it is safe debris.	
c. EARTHQUAKE (So	ource: PHIVOLCS)	
c.1 Before (Prepare	your homes, workplace or schools)	
	It heavy furniture/cabinets to the walls	

- \checkmark Check the stability of hanging objects like ceiling fans and chandeliers
- ✓ Breakable items, harmful chemicals and flammable materials should be stored properly in the lowermost secured shelves
- √ Familiarize yourself with the exit routes

	Module 5	
	Early Warning, Early Action	
	(What to do before, during and after hazard impact)	
	ACTIVITY	LOGISTICS & PRESENTATIONS
communica ✓ Minimum canned or rextra batter	fire extinguishers, first aid kits, survival kits, alarms and on facilities are located and learn to use them beforehand. aterials included in your survival kit should be water, ady to eat food and can opener, first aid kit, flashlight and s, battery-operated radio, blanket and clothing participate in regular earthquake drills	

c.2 During

- ✓ Stay CALM
- ✓ When you are inside a structurally sound building or home..STAY
 THERE!
- ✓ If possible, quickly open the door for exit. (Emphasize here that the movement/shaking might cause some damage that will prevent you from opening a door)
- ✓ Duck under a sturdy desk or table and hold on to it, or protect your head with your arms. (Anticipate that some participants might ask you about the triangle of life. Emphasize that PRC, PHIVOLCS and American Red Cross advocates the duck, cover and hold as the best action).
- ✓ Stay away from glass windows, shelves, cabinets and other heavy objects
- ✓ Beware of falling objects. Be alert and keep your eyes open
- ✓ If you are outside...MOVE TO AN OPEN AREA!
- ✓ Stay away from trees, power lines, posts and concrete structures
- ✓ Move away from steep slopes which may be affected by landslides
- ✓ If you are near the shore and feel an earthquake, especially if it is strong, move quickly to higher grounds. Tsunamis might follow
- √ If you are in a moving vehicle, STOP and get out!
- ✓ Do not attempt to cross bridges, overpasses or flyovers which may have been damaged

d. TSUNAMI

- d.1 Things that you can do or prepare for before a Tsunami
 - ✓ Find out if your community or place is prone to tsunamis
 - ✓ Plan evacuation routes from your home, school, workplace or any other place you could be where tsunami presents a risk
 - ✓ If your area is tsunami prone, always practice your evacuation route and participate in community drills
 - ✓ Know the tsunami warning signal in your community
 - ✓ Monitor radio or TV stations to keep informed of warnings
 - ✓ Discuss tsunamis with your family. All members of the family should know and understand what they are supposed to do if a tsunami occurs
 - ✓ Survival kit should come handy

(What to do before, during and after hazard impact)

ACTIVITY

LOGISTICS & PRESENTATIONS

d.2 What to do if You Feel a Strong Coastal Earthquake

(Source: UNDP Training Manual EW:Use and Practices)

If you feel an earthquake that lasts 20 seconds or longer when you are in the coastal area, you should:

- ✓ Duck, cover and hold
- ✓ Protect yourself first from earthquake damages
- ✓ Immediately after the shaking stops, gather members of your household and move quickly to higher ground away from the coast. A tsunami might be coming within minutes
- ✓ Avoid downed power lines and stay away from buildings and bridges from which heavy objects might fall during an aftershock.

If you are on land:

- ✓ If you are in school and you hear there is a tsunami warning, you should follow the advice of your teachers and other school personnel
- ✓ If you are at home and hear the tsunami warning, make sure that the entire members of the family is aware of the warning. If you are in a tsunami evacuation zone, move in an orderly, calm and safe manner to the designated evacuation center. Follow the advice of the disaster local authorities in your area.
- ✓ If you are in the beach or near an ocean, and you feel a strong shake, move immediately to higher ground. DO NOT wait for tsunami warning to be announced. Stay away from rivers and streams that lead to the ocean, as you would stay away from the beach and ocean if there is a tsunami. Tsunamis generated in distant locations will generally give people enough time to move to higher ground. For locally-generated tsunamis, where you might feel the ground shake, you may only have a few minutes to move to higher ground.
- ✓ Staying away from all low-lying areas is the safest advice when there is a tsunami warning

e. FLOOD

e.1 Before

- ✓ Know your area's flood risk. (Emphasize that low lying areas and areas near riverbanks, streams and coastal areas are prone to flooding)
- ✓ Make it a habit to monitor the weather forecast everyday.
- ✓ If your area is usually affected by the high tide, make sure that you have a calendar that indicates the "high tide" and "low tide".

		Module 5	
	E/	ARLY WARNING, EARLY ACTION	
	(What to d	do before, during and after hazard impact)	
		ACTIVITY	LOGISTICS &
			PRESENTATION
\checkmark	Be prepared to evacuate	e at a moment's notice. Make sure that you	
	have your survival kit read the kit).	dy (emphasize the minimum or basic content of	
✓	elevated area and if poss	equipment at home should be placed in an sible electric sockets are covered (emphasize ith cover will likewise prevent accidental is playing).	
✓		or elevation or building in your area and make	
✓	•	e that may possibly be the cause of flooding in	
.2.Duı	ing		
✓	the warning. Immediately stay there. Before leaving	warning is issued by authorities, take heed of ly evacuate and head for higher ground and g the house, make sure that all windows and ured, and place a notice in your door indicating	
✓	-	from floodwaters. If you come upon flowing	
✓		and can no longer move out, immediately turn	
✓		er- do not allow them to play and take a bath in	
✓		ver possible, avoid crossing bridges or roads	
✓	Avoid exposing yourself to	o the elements. If it is not necessary for you to stay dry in a safe and secure area.	
✓		t night when it is harder to recognize flood	
✓	When you are in a vehicle	e, never attempt to cross a raging floodwater. and seek higher or elevated ground.	
✓	•	pidly rising waters, abandon it immediately and	
			1

(What to do before, during and after hazard impact)

ACTIVITY	
----------	--

LOGISTICS & PRESENTATIONS

e.3 After

A lot of injuries happen immediately after the flood. Thus it is important to be mindful of the following tips:

- ✓ Return home only when local authorities have declared that your area is safe.
- ✓ Stay away from power lines and electrical wires. Immediately report downed power lines to the power company. If power lines are down outside your home, do not step on puddles or stand on water.
- ✓ Before entering your homes, look for loose power lines and other damage. Structures that have been damaged by flooding may not be safe to enter.
- ✓ Do not use appliances or motors that have gotten wet until they have been cleaned and dried.
- ✓ Be wary that some appliances keep electrical charges even after they have been unplugged.
- ✓ Look out for wild animals especially snakes. Small animals may have come into your home with the floodwater. Use a pole or stick to poke and turn things over and scare away the small animals.
- ✓ Be alert for gas leaks. Do not smoke or use candles, lanterns or open flames unless you are sure that the gas has been turned off and the area is well ventilated.
- ✓ During cleanup, wear protective clothing including rubber gloves and rubber boots. Never walk bare foot after the floods. Always use sensible shoes as debris can cause injury. Be cautious that muddy floors and stairs can be very slippery.
- ✓ Make sure that your food and water are safe. Discard items that have come in contact with floodwater.

Introduce the standard content of a family kit:

Water – it should not be that heavy that it will impede their evacuation. At least to sustain the family for 1-2 days

Canned goods

Can opener

Transistor radio with extra batteries

Flash light

Blanket (this is a must as they are likely to sleep on the floor)

Maintenance medicines

Clothes for at least 1-2 days

	Module 5 EARLY WARNING, EARLY ACTION (What to do before, during and after hazard impac	ct)
	ACTIVITY	LOGISTICS & PRESENTATIONS
with a family evacuat community plan. Mem	rt of their preparedness, they should discuss and come tion plan first and foremost, and link it with that of or abers of the family should know the family evacuation p nicate with each other if the disaster occurs while they	the plan
highlighting that each safety. Further empha must take correspond	with an emphasis of the importance of preparednes in individual and family has a responsibility for their consize that people should always take heed of warnings ding action that is required. You can end the sessional events wherein people took heed of the warning and evented or the reverse.	own and by
•	cipants that they need to keep the early warning syster neir Barangay Disaster Action Plan. Early Warning Sys nto the plan.	
Note to the facilitator/	/trainer:	
	stand-alone training module or integrated in the Standas a part of the standard DM training, it should be descion.	
This session can be d their orientation cours	done as a separate training module for the RC 143 a se.	fter

Annex 1 COMMUNITY BASED EARLY WARNING SYSTEM TRAINING

Training Outline

OBJECTIVES

At the end of 8.25 hours the participants shall be able to:

- Define the meaning of disaster
- Explain Disaster and its relationship to Vulnerability and Capacity
- Explain the Hazards in the Philippines
- Explain what is an Early Warning System
- Enumerate the types of warning system
- List down the four (4) elements of EWS
- Identify the different warning signals
- Enumerate actions needed before, during and after a specific disaster
- Integrate the CBEWS in their DP Plan

EXPECTED OUTPUT

The participants have:

- **Defined disaster**
- Defined and linked disasters to Vulnerability and Capacity
- Enumerated the different hazards in the country
- Understood the meaning of early warning system and its objectives.
- Enumerated the four (4) elements of EWS
- Understood the alert levels
- Identified the different warning signals
- Enumerated actions required before, during and after a disaster
- Incorporated CBEWS in their DP Plan

TARGET AUDIENCE

- Community volunteers (BDAT or 143)
- Barangay Disaster Committee Members
- Barangay Development Council Members Barangay Health Workers

Module	Topics	Activities/Process/Methodology	Logistics	Time
00	Opening Program			15 minutes
	Getting to know you	Introduction should be interactive and	Metacards	30 minutes
	Levelling of expectations	creative	Pentel pen	
	Objective settings	SLE methodology	Flip chart	
	Administrative detail		LCD/laptop if avaiable	
10	Disaster Concepts	Lecture	LCD and laptop if available	1.5 hours
	 Definition 	Discussions	otherwise make use of meta cards	
	 HVC Concepts 	Q and A	and flip charts	
	 Causes of Vulnerabilities 	Case study presentation		
02	The Philippine Hazardscape	Lecture	LCD and laptop if available	1.5 hours
	Overview	Discussions	otherwise make use of meta cards	
	 Hazards in the Philippines 	Q and A	and flip charts	
	 Hydro-meteorological 		Pentel pens	
	2. Effects of Climate			
	Change			
	3. Volcanic			
	4. Earthquake			
	5. Fire			
	6. Technological			
	7. Complex Emergencies			
	and Other Situations of			
	Violence			
03	Early Warning System Definition,	Simulation exercise	LCD and laptop if available	1.5 hours
	Concepts and Elements	Processing using SLE methodology	otherwise make use of meta cards	

	1.5 hours	1.5 hours
and flip charts Pentel pens	Metacards Pentel pen Flip chart LCD/laptop if available	Metacards Pentel pen Flip chart LCD/laptop if available
Lecture Group work	Lecture Plenary discussion Group work	Lecture Demonstration Q and A
DefinitionObjective of EWSDifferent EWsFour Elements of EWS	Hazards and Alert Levels • Modalities of giving and receiving warnings • Considerations in giving warnings • Common hazards with established alert levels	Early Warning, Early Action • Family and community preparedness • Standard content of survival kit
	04	05

For more information, please contact:

THE PHILIPPINE RED CROSS

(+63-2) 527-0000/143

Disaster Management Services

(+63-2) 527-0864/65